

Company Introduction

Cypress Precision Industrial Co., Ltd.


Cypress Precision Industrial CO., LTD. was established in Taichung, Taiwan as a blade processing factory originally in 1989, specialized in the design and manufacture blades.

With more than 35 years of proficient experience and excellent design ability, we are acquainted with every procedure of producing scissors. In 2000, Cypress officially became a scissors manufacturer. We have been dedicated in supplying high-quality scissors to our clients all over the world. OEM & ODM services are also available upon request.

Since the establishment of Cypress, we have been following four principles, Integrity, Quality, Lead-time and Service as our quality policy company culture. With constant upgrading and continuous improvement, you will find satisfaction with our products and service. Cypress is the synonym of best scissors.



Heavy Duty SCISSORS



BS-700 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

► Blades come with 8mm notch.

BS-700A7 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

BS-700A8 8" (203mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16 kg	1.8 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

BS-702 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

► Blades come with 4mm notch.

Features:

1. Suitable for cutting cables, wire nettings, aluminum/copper wares and leathers...etc.
2. Anti-Impact designed handles with comfortable sense while performing this scissors even during a long-time operation.
3. Serrated blade edges: to prevent object from slipping.
4. Assembled with adjustable screws.
5. Sand blasting finish process is also available.

Serrated Edge Blades

BS-730 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

► Blades come with 8mm notch.

BS-730A7 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

BS-730A8 8" (203mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16 kg	1.8 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

BS-7302 7" (183mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	14 kg	1.6 cuft
FUNCTIONS					
AL/CU	Wires	Ordinary Leather		Wire netting	
0.5mm	0.8mm	5mm		1mm	

► Blades come with 4mm notch.

Features:

1. Suitable for cutting cables, wire nettings, aluminum/copper wares and leathers...etc.
2. Anti-Impact designed handles with comfortable sense while performing this scissors even during a long-time operation.
3. Serrated blade edges: to prevent object from slipping.
4. Assembled with adjustable screws.
5. Sand blasting finish process is also available.

Serrated Edge Blades

Designing Features

Assembly of the Sheath



Electrician's SCISSORS

Grip Material: Nylon

Serrated blades
with anti-slip function

Electric Cable

Inner Band:
Santoprene Soft Material



3-Core Power Cable



22mm² Copper Wire Cable



For stripping cable



Fiber Optic Patch Cord

BS-503 5-1/2" (140mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	58±2	Polish	Nylon+Santoprene	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	7.5 kg	9 kg	1.38 cuft
FUNCTIONS					
IV(single wire)					
1.2mm² (OD:2.8mm)					


► Assembled with adjustable screws.

BS-504 5-1/2" (140mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	58±2	Polish	Nylon+Santoprene	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	7.5 kg	9 kg	1.38 cuft
FUNCTIONS					
IV(single wire)					
1.2mm² (OD:2.8mm)					

► Blades come with 5mm notch for stripping electrical cords.

► Assembled with adjustable screws.



BS-504S (Scissors+Sheath)

Hang on user's belt conveniently

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	6.8 kg	8 kg	2.7 cuft

► Nylon-made sheath can be molded with Customer's logo if necessary.

BS-506 5-3/4" (146mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	7.5 kg	9 kg	1.17 cuft
FUNCTIONS					
IV(single wire)					
1.6mm² (OD:3.2mm)					

► Assembled with adjustable screws.

BS-507 5-1/2" (140mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	192	14 kg	15 kg	1.9 cuft
FUNCTIONS					
IV(single wire)					
1.2mm² (OD:2.8mm)					

BS-508 6-1/8" (156mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	58±2	Polish	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	96	7.56 kg	9.3 kg	1.6 cuft
FUNCTIONS					
Stripping cable wire & Opening the sealed boxes.					

BS-512 8-1/2" (216mm) Foldable Knife

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	96	7.8 kg	9.7 kg	1.75 cuft
FUNCTIONS					
Stripping cable wire(3mm² or 8mm²) & Opening sealed boxes.					

► Knife Length: 216mm (unfold) / 122mm (fold).

BS-513 6" (153mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	58±2	Polish	Nylon+Santoprene	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	8.4 kg	10.8 kg	1.6 cuft
FUNCTIONS					
Soft Cable	IV(single wire)	VVR			
38mm² (OD:12.5mm)	2.6mm² (OD:4.6mm)	3.5 x 3C (OD:12.5mm)			

► Blades come with 15mm notches.
► Assembled with adjustable screws.

GUN TYPE HEAVY DUTY SCISSORS



BS-523 6-1/2" (165mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	58±2	Polish	Nylon+Santoprene	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	10.4 kg	12.5 kg	-
FUNCTIONS					
Soft Cable	IV(single wire)	VVR		Crimping	
38mm² (OD:12.5mm)	2.6mm² (OD:4.6)	3.5 x 3C (OD:12.5mm)		AWG 22	

► Blades come with 15mm notches.
► Assembled with adjustable screws.



BS-526 7" (178mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish		Handle
Japan Stainless Steel	4.0mm	58±2	Polish		Nylon+TPR
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	12 kg	13.3 kg	1.2 cuft
FUNCTIONS					
SOFT CABLE	IV(twisted wire)	IV(single wire)	VVR		
60mm ² (OD:15mm)	22mm ² (OD:9.2	2.6mm ² (OD:4.6mm)	5.5 x 3C (OD:14.5mm)		
SECC	AL/CU	Crimping			
0.3mm	0.5mm	AWG 22 - 14			



BS-5068-1 (BS-506+BS-508 W/Leather Pouch)

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	6	60	13 kg	16.3 kg	3.1 cuft

► Leather pouch can be tied on the safety belt.



BS-5068-2 (BS-506+BS-508)

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	12 kg	13.8 kg	1.7 cuft

Features:

- 1.Designed for stripping and cutting cables and wires.
- 2.Special Japan Stainless Steel for excellent strength and performance.
- 3.Bi-component scissor handles ensures long lasting performance and comfort feeling to the users.
- 4.Anti-Impact ergonomic designed handles with comfortable sense while performing this scissors even during a long-time operation.
- 5.Serrated blade edges: to prevent object from slipping.

Multi-Function SCISSORS

Designing Features

Scissor blades and handles reveal a 45° ergonomic design.

When user is performing this scissor, the wrist joints can remain straight, and doesn't need to bend it. For most sheet-shaped objects, users may perform a one-time cutting.

This is because of its 45° angle; hand will not be interfered by cutting through the object.

Horizon



Suitable for cutting thick carpet



Suitable for cutting corrugated cartons

BS-708 7" (185mm)

UNIVERSAL SCISSORS

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Polish	PP

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	96	11.6 kg	13.6 kg	1.6 cuft

FUNCTIONS			
Soft metal Sheets	Wire netting	Ordinary Leather	Other
0.5mm	1mm	5mm	Corrugated carton

BS-803S 8" (204mm)

UNIVERSAL SCISSORS

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.0mm	53±2	Polish	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	9.8 kg	10.9 kg	2.3 cuft

FUNCTIONS		
AL/CU	Ordinary Leather	Other
0.5mm	5mm	Artificial turf

► Assembled with adjustable screws.

BS-804 8-1/2" (220mm)

CARPET SCISSORS

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.5mm	53±2	Sand Blasting	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	12.5 kg	14.5 kg	-

FUNCTIONS		
Soft metal Sheets	Wire netting	Ordinary Leather
0.5mm	1mm	5mm
Other		
Thick carpet / Artificial turf / Corrugated carton		

► Assembled with adjustable screws.

► Adjustable cutting opening.

BS-903 10" (254mm)

CARPET SCISSORS

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.5mm	53±2	Sand Blasting	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	6	48	14.7 kg	16.7 kg	1.96 cuft

FUNCTIONS		
Soft metal Sheets	Wire netting	Ordinary Leather
0.5mm	1mm	5mm
Other		
Thick carpet / Artificial turf / Corrugated carton		

► Assembled with adjustable screws.

BS-904 10" (254mm)

CARPET SCISSORS


SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.5mm	53±2	Sand Blasting	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	6	48	14.7 kg	16.7 kg	1.96 cuft

FUNCTIONS		
Soft metal Sheets	Wire netting	Ordinary Leather
0.5mm	1mm	5mm
Other		
Thick carpet / Artificial turf / Corrugated carton		

► Assembled with adjustable screws.

Multi-Function SCISSORS



BS-703 8" (204mm)

LEATHER SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16 kg	2 cuft

FUNCTIONS					
For cutting cardboard, plastic, aluminium and copper foils.					

BS-704 8" (204mm)

GARDENING SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16 kg	2 cuft

FUNCTIONS					
For floral or tree pruning use.					

BS-705 8" (204mm)

UNIVERSAL SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16 kg	2 cuft

FUNCTIONS					
For cutting cardboard, plastic, aluminium and copper foils.					

BS-706 7-1/4" (185mm)

CABLE SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	13 kg	15 kg	2 cuft

FUNCTIONS					
Soft Cable	IV(twisted wire)	IV(single wire)	VVR		
38mm² (OD:12.5mm)	14mm² (OD:7.6)	2.6mm² (OD:4.6mm)	5.5 x 3C (OD:14.5mm)		

BS-707 8" (204mm)

HEAVY-DUTY ELECTRICIAN'S SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14 kg	16.4 kg	2 cuft

FUNCTIONS					
Bronze Wires	AL/CU	Ordinary Leather	Plastic Sheets		
4-core	0.5mm	5mm	1.2mm		
Wire-stripping			Other		
1.0mm / 1.5mm / 2.0mm electric cords			Fabrics / Cartons / Ropes		

BS-808 8-1/2" (220mm)

HEAVY-DUTY ELECTRICIAN'S SCISSORS

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	4.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	15.5 kg	17.3 kg	-

FUNCTIONS					
Bronze Wires	AL/CU	Ordinary Leather	Plastic Sheets		
4-core	0.5mm	5mm	1.2mm		
Wire-stripping			Other		
1.0mm / 1.5mm / 2.0mm electric cords			Fabrics / Cartons / Ropes		

► Assembled with adjustable screws.

Kitchen SCISSORS

Designing Features

For elderly people or children who are not able to chew harder food properly

simply use this scissor to cut food into small pieces for better consumption



160mm X45mmX22mm

BS-802 8" (204mm)



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	11 kg	12.5 kg	1.5 cuft

Picking up for crab's nippers / Clipping walnut / Bottle opening

► Assembled with adjustable screws.

BS-K220 8" (204mm) DETACHABLE KITCHEN SCISSORS



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	11.3 kg	13 kg	1.35 cuft

Notch on blades can be used as bottle opener / Picking up for crab's nippers / Clipping walnut / Small hole on blade can cut 0.5mm steel fishing wire

BS-910K 8-1/2" (216mm) KITCHEN SCISSORS



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	12	72	13.6 kg	15 kg	1.13 cuft

Notch on blades can be used as bottle opener / Picking up for crab's nippers / Clipping walnut / Small hole on blade can cut 0.5mm steel fishing wire

BS-606 6" (153mm) DETACHABLE KITCHEN SCISSORS



SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	-	
Packing	Inner	Carton	N.W	G.W	Measure
Plastic Box	24	144	17.5 kg	19.5 kg	1.56 cuft

Cutting food in small pieces for better consumption.

Features:

1. For elderly people or children who are not able to chew harder foods properly, simply use this scissors to cut foods into small pieces for better consumption.
2. Detachable design for easy cleaning and can prevent bacteria from staying on the connecting parts of the blades.
3. Packed with small volume plastic box for easycarrying and dispatching.




Gardening SCISSORS


Designing Features

30° gradient handle design increased the touching areas between hands and handles which leads to a better feeling while holding the pruner and also it's better for users to add forces while performing this product.

Pruning Shears



Fruit collecting shears



Clamping Range
Live Wood $\varnothing 15\text{mm}$



Designing Features

Main function is to perform scissors and the clamps at the same time. While performing this scissors, users may cut and clamp the object at the same time to prevent the item from falling which is suitable for collecting fruits/vegetables grow on the trees.

Fruit collecting shears




Designing Features

This type of scissors can be also applied in floriculture, branches and leaves pruning: users may throw the waste branches and leaves when pruning



Gradual Power Saving Gardening Shears



Designing Features

When the blades are out of usage, users may replace the blades by purchasing our replaceable blades which increases the best economic benefits and decrease the pollution from the industry waste gas.



BS-714 7-3/4" (196mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	PP	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	10 kg	13 kg	1.7 cuft
FUNCTIONS					
Cutting live wood up to 15mm diameters / Load-bearing weight of the clamps is up to 1.0 kg / Suitable for collecting fruits/vegetables grow on the trees / Applied in floriculture, branches and leaves pruning					

BS-715 8" (204mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
High Carbon Steel	3.5mm	58±2	Chrome	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14.5 kg	16 kg	2 cuft
FUNCTIONS					
Cutting live wood up to 18mm diameters.					

BS-716 8" (204mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
High Carbon Steel	2.5mm	58±2	Teflon	Al+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	48	14.5 kg	16 kg	2 cuft
FUNCTIONS					
Cutting live wood up to 20mm diameters.					

BS-B716 Spare blade for BS-716

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	20	120	6 kg	7 kg	0.5 cuft

BS-727 7-3/4" (196mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
High Carbon Steel	2.5mm	58±2	Teflon	Nylon+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	14.5 kg	16.2 kg	-
FUNCTIONS					
Cutting live wood up to 20mm diameters.					

► 2-in-1 Pruners with ratchet function and single cut function.

Florist Scissors

2-Way holding:
Index finger can be placed on the curved area or on the top of the handles.

Florist Scissors

BS-719 (167.5mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	-	-	-
FUNCTIONS					
Designed for picking flowers.					

BS-720 (174mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	-	-	-
FUNCTIONS					
Designed for picking flowers.					

BS-721 (184mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	-	-	-
FUNCTIONS					
Designed for picking flowers.					

Tailor SCISSORS





BS-400 4-3/4" (120mm) Thread Cutter

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
High Carbon Steel	2.0mm	58±2	Black	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	144	10 kg	12 kg	2.6 cuft
FUNCTIONS					
Ideal for cutting thread.					



BS-801 8-1/2" (216mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	10 kg	12.5 kg	1.35 cuft
FUNCTIONS					
For fabric cutting					



BS-901 9-1/2" (242mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	11 kg	13.5 kg	1.35 cuft
FUNCTIONS					
For fabric cutting					



BS-902 10" (254mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	Nylon	
Packing	Inner	Carton	N.W	G.W	Measure
Color Box	12	36	8 kg	9.6 kg	1.56 cuft
FUNCTIONS					
For fabric cutting					



BS-800 8" (204mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	11 kg	12 kg	1.5 cuft
FUNCTIONS					
Ideal for cutting thread.					



BS-900 9" (230mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	11.5 kg	13.5 kg	1.5 cuft
FUNCTIONS					
For fabric cutting					



BS-90010 10" (254mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	12	72	15.5 kg	17 kg	2 cuft
FUNCTIONS					
For fabric cutting					



BS-90011 11" (280mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Color Box	12	36	11.5 kg	13 kg	1.6 cuft
FUNCTIONS					
For fabric cutting					

BS-90012 12" (305mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	TPR	
Packing	Inner	Carton	N.W	G.W	Measure
Color Box	12	36	12.5 kg	13.5 kg	1.5 cuft
FUNCTIONS					
Ideal for cutting thread.					

BS-910T6 6" (153mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	24	192	13.6 kg	15 kg	1.16 cuft
FUNCTIONS					
For fabric cutting					

BS-910T7 7" (183mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	2.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	24	192	15.5 kg	17 kg	1.16 cuft
FUNCTIONS					
For fabric cutting					

Features:

1. Stainless steel blades for a precision sharp, long lasting edge.
2. Impact grips designed to fit human body engineering for the comfort of holding.
3. With an adjustable joint screw.

BS-910T8 8" (204mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	12	72	9.3 kg	10.8 kg	1.1 cuft
FUNCTIONS					
For fabric cutting					

BS-910T9 9" (230mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.0mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	12	72	10.4 kg	12 kg	1.1 cuft
FUNCTIONS					
For fabric cutting					

BS-910T10 10" (254mm)

SPECIFICATION					
Blades	Thickness	HRC	Finish	Handle	
Japan Stainless Steel	3.5mm	53±2	Polish	PP+TPR	
Packing	Inner	Carton	N.W	G.W	Measure
PP Blister Hanger	12	72	15 kg	16.5 kg	1.5 cuft
FUNCTIONS					
For fabric cutting					

PVC Pipe Cutter


Blade

4. Reverse the above mentioned actions to replace a new blade.


1. Loose the screw which fixed on the blade by using a screwdriver.



2. 3. Push away the Blade Driver, and take the spring out.



The blades are sharp. Be sure to wear gloves when replacing the blades.



How to Replace the Blade



The nylon platform can be hook on the main body in order to cut layerings.



BS-0127 For cutting Ø35mm pipes

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.0mm	57±2	Polish	Aluminum Alloy

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	6	48	14.7 kg	16.7 kg	1.8 cuft

FUNCTIONS				
For cutting all kinds of plastic tubes or pipes, such as material of PVC and Polyethylene, etc.				

BS-B0127 Spare blade for BS-0127

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	144	10 kg	11 kg	0.65 cuft



BS-0142 For cutting Ø42mm pipes

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	3.0mm	57±2	Polish	Aluminum Alloy

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	6	36	19 kg	22 kg	2.5 cuft

FUNCTIONS				
For cutting all kinds of plastic tubes or pipes, such as material of PVC and Polyethylene, etc.				

BS-B0142 Spare blade for BS-0142

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	144	16 kg	17 kg	0.65 cuft



Office SCISSORS

Processed with teflon coating which can effectively prevent tapes from stick on the blades



Ergonomic Design



BS-501 5-1/2" (140mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Polish	PP

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	192	12.7 kg	15 kg	1.85 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

BS-603 6-1/2" (165mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Polish	PP

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	192	14 kg	16.5 kg	1.85 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

BS-501T 5-1/2" (140mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Teflon	TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	192	12.7 kg	15 kg	1.85 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

BS-603T 6-1/2" (165mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Teflon	TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	192	14 kg	16.5 kg	1.85 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

BS-608S 6-1/2" (175mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Polish	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	96	8.7 kg	10.7 kg	1.5 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

BS-608ST 6-1/2" (175mm)

SPECIFICATION				
Blades	Thickness	HRC	Finish	Handle
Japan Stainless Steel	2.5mm	53±2	Teflon	PP+TPR

Packing	Inner	Carton	N.W	G.W	Measure
Sliding Card	24	96	8.7 kg	10.7 kg	1.5 cuft

FUNCTIONS
For cutting light cardboard, tape, string, film, paper and many other home and office materials.

Features:

1. Teflon coating: resistant from tapes or glue to stick on the blades. Suitable for students for art uses and office use.
2. Serrated blade edges: to prevent object from slipping.
3. Anti-Impact ergonomic designed handles with comfortable sense while performing this scissors even during a long-time operation.
4. Japan Stainless Steel Blades with precise, sharp and long lasting edge.

Steels Chemical Composition

Grade	Chemical Composition wt. %										Notes
	C	Cr	Mo	Si	V	Mn	P	S	Ni	Others	
AISI440C+CO	1.07	17.00	1.10	0.45	0.10	0.40	—	—	—	Col.5	DIN4528 N690
AISI440C	1.07	17.00	0.50	0.40	—	0.40	—	—	—	—	DIN4528 N695
AUS-8	0.70 ~ 0.80	13.00 ~ 14.50	0.10 ~ 0.30	≤ 1.00	0.10 ~ 0.25	≤ 1.00	≤ 0.040	≤ 0.030	≤ 0.049	—	
AUS-6	0.55 ~ 0.65	13.00 ~ 14.50	—	≤ 1.00	0.10 ~ 0.25	≤ 1.00	≤ 0.040	≤ 0.030	≤ 0.049	—	
AUS-4	0.40 ~ 0.45	13.00 ~ 14.50	—	≤ 1.00	—	≤ 1.00	≤ 0.040	≤ 0.030	≤ 0.049	—	
SUS440A	0.60 ~ 0.75	16.00 ~ 18.00	≤ 0.75	≤ 1.00	—	≤ 1.00	≤ 0.040	≤ 0.030	≤ 0.060	—	
SUS440C	0.95 ~ 1.20	16.00 ~ 18.00	≤ 0.75	≤ 1.00	—	≤ 1.00	≤ 0.040	≤ 0.030	≤ 0.060	—	
DIN4034	0.42 ~ 0.50	12.50 ~ 14.50	—	≤ 1.00	—	≤ 1.00	≤ 0.045	≤ 0.030	—	—	
DIN4116	0.45 ~ 0.50	14.00 ~ 15.00	0.50 ~ 0.60	≤ 0.75	0.10 ~ 0.15	≤ 1.00	≤ 0.040	≤ 0.015	—	—	
SUS420J2	0.26 ~ 0.40	12.00 ~ 14.00	—	≤ 1.00	—	≤ 1.00	—	—	≤ 0.060	—	
SK5	0.80 ~ 0.90	≤ 0.35	≤ 0.50	≤ 0.030	≤ 0.030	—	—	—	—	—	
S55C	0.52 ~ 0.58	0.15 ~ 0.35	0.60 ~ 0.90	≤ 0.030	≤ 0.035	—	—	—	—	—	



Cypress Precision Industrial CO., LTD.

No.2, Lane 146, Fu-Yi Rd., Taiping Dist., Taichung City 411, Taiwan

EL: +886-4-2278-0775 FAX: +886-4-2279-4

E-mail: service@gucypress.com

www.gucypress.com